

Head and Neck Cancer

Risk Factors

Understanding Cancer Staging

Classifying Head and Neck Cancer

Persistent or Recurrent Cancer

Lifestyle and Wellness

Screenings and Procedures

Head and Neck Anatomy

Mouth and Voice Box Anatomy

Sinus Anatomy

SDoH Guide



Head&Neck Cancer

▶ To download the information in this book, visit hncancers.com or scan this code.



Home

Table of Contents

References




Table of Contents

[Head and Neck Cancer](#)

[Risk Factors](#)

[Understanding Cancer Staging](#)

[Classifying Head and Neck Cancer](#)

[Persistent or Recurrent Cancer](#)

[Lifestyle and Wellness](#)

[Screenings and Procedures](#)

[Head and Neck Anatomy](#)

[Mouth and Voice Box Anatomy](#)

[Sinus Anatomy](#)


[Social Determinants of Health \(SDoH\) Guide](#)

[References](#)

Head and Neck Cancer

Head and neck cancer includes cancers that originate in areas of the head and neck. There are many different types of tissues of the head and neck, and cancer can begin in any of them.¹

Head and neck cancer mostly arises from **squamous cells** lining the mucosal surfaces of the head and neck and is called **squamous cell carcinoma (HNSCC)** of the head and neck. Less commonly, head and neck cancer may originate from other cell types in the sinuses, salivary glands, nerves, or muscles in the head and neck.²



Healthy squamous cells

Squamous cell carcinoma

Where can head and neck cancer originate?

THROAT (PHARYNX):

- A hollow tube connecting the nose and esophagus²
- Includes the nasopharynx, oropharynx, and hypopharynx²

MOUTH (ORAL CAVITY):

- Includes the lips, the inside lining of the lips and cheeks, the front two-thirds of the tongue, the gums, the floor of the mouth under the tongue, the small area of the gums behind the wisdom teeth, and the bony top of the mouth²

PARANASAL SINUSES:

- Small, air-filled spaces in the bones connected to the nasal cavity^{2,3}
- There are 4 types of sinuses on each side of the face. They are located in the cheek area, the lower forehead area, beside the upper nose, and behind the nose^{3,4}



VOICE BOX (LARYNX):

- A short passageway below the throat that contains the vocal cords²
- Contains the epiglottis, which blocks the entry of food into the airway²

NASAL CAVITY:

- The nasal cavity is the hollow space inside of the nose²
- The nasal cavity starts at the end of the nostrils and extends to the nasopharynx²

SALIVARY GLANDS:

- Produce saliva²
- Located in the floor of the mouth and near the jawbone (major salivary glands) and throughout the mucous membranes of the mouth and throat (minor salivary glands)²

*Sometimes, cancerous squamous cells are detected in the lymph nodes of the neck, but a primary tumor is not found. This type of cancer is referred to as **occult primary**.²*

Risk Factors

A risk factor is anything that increases your chance of developing a disease, like cancer. Some risk factors can be changed (like smoking), while others cannot (like your age).⁵

In 2023, head and neck cancer accounted for **3.4%** of new cancer cases in the US.^{6*}



Men are more likely to be affected than women²



More often diagnosed in people over 50 years old²

*This data reflects estimated new cases of cancer of the oral cavity, pharynx, and larynx⁶

Here are some of the common risk factors for head and neck cancer:



ALL FORMS OF TOBACCO USE: Including secondhand smoke²



ALCOHOL USE: Moderate to heavy drinkers have a higher risk than light drinkers. Tobacco use and drinking together further increase that risk⁵

Tobacco use and alcohol use are the 2 most important risk factors for head and neck cancer, especially cancer of the oral cavity and oropharynx.⁵



Workplace exposure, such as exposure to wood dust, nickel dust, and formaldehyde (cancer of the paranasal sinuses and nasal cavity)²



Poor nutrition, such as a diet low in fruits and vegetables (oral cavity and oropharyngeal cancer)⁵



Ancestry – Asian (especially Chinese) ancestry (nasopharyngeal cancer)²



Radiation exposure of the head and neck (cancer of the salivary glands)²



Underlying genetic disorders, such as Fanconi anemia, increase the risk of precancerous lesions and cancer in early life²



Certain viral infections like human papillomavirus (HPV) (oropharyngeal cancer) or Epstein-Barr virus (EBV) (nasopharyngeal cancer and cancer of the salivary glands)²

Understanding Cancer Staging

Why is cancer staged? Head and neck cancer is staged to describe the size of the tumor(s) and location(s) of any potential cancer spread. Knowing the stage helps your healthcare provider understand the outlook (also known as prognosis) of the cancer. It also helps them determine how to move forward with the most appropriate treatment.^{7,8}

Staging of head and neck cancer is done through a system known as the **TNM System**.⁹

The staging system provides information about the location, size, and extent of the tumor in your body.^{7,8}

- The stage of cancer that is based on tests done before surgery is called the **clinical stage**¹⁰
- The stage of cancer that is based on how the tissue looks under a microscope following surgery is known as the **pathologic stage**¹¹

The TNM System helps assess the size, location, and spread of the cancer⁸



T

Describes the size and extent of the main or primary **tumor**. The higher the number after the T, the more the tumor has grown into nearby tissues or become larger in size.⁷



N

Describes whether or not the cancer has spread to your lymph **nodes** and, if it has spread, the size of the cancerous lymph nodes and the side of the neck that the cancerous lymph nodes are on.⁹



M

Describes whether or not the cancer has spread to distant parts of the body from where it began (**metastasis**).⁷ The most common sites of distant metastases for head and neck cancer are the lungs, bone, liver, and mediastinal lymph nodes, with the lungs being the most common site.¹²

Common areas of metastasis



Lungs



Bones



Lymph nodes




Liver

Classifying Head and Neck Cancer

Head and neck cancers are classified based on how far the cancer has grown or spread in the body. Staging helps health care teams communicate with one another and support conversations with patients and caregivers about what to expect and what treatment approaches may be considered. While stage can help guide planning, it is only one part of the overall treatment plan, and each person's situation is unique.^{7,13}

Some common categories used when talking about head and neck cancer include **early-stage**, **locally advanced**, **distant metastatic**, and **recurrent** disease. These broader groups are often easier to understand than numeric stage labels alone and can help explain how cancer may behave and how it is commonly approached during treatment.^{8,14,15}




Early-Stage Disease

Early-stage head and neck cancer generally means the cancer is limited to the area where it first started and has not grown deeply into nearby tissues. At this stage, the tumor is typically smaller and more localized.^{8,14,15}

Lymph nodes in the neck are often not involved in early-stage disease, or involvement is minimal. When lymph nodes are affected, they are usually small and close to the original tumor site.^{8,13}

Early-stage disease often corresponds to lower **T** (tumor) and **N** (node) values in the TNM staging system.^{7,8,13}






Locally Advanced Disease

Locally advanced head and neck cancer means the cancer has grown beyond its original location into nearby tissues, structures, or lymph nodes in the neck. However, it has not spread to distant parts of the body.^{8,14,15}

This stage is usually associated with higher **T** and/or **N** categories in the TNM system, reflecting larger tumor size, deeper local growth, or more extensive lymph node involvement.^{8,14,15}

While the cancer remains confined to the head and neck region, it may be more complex to treat due to its size or location.^{8,14,15}



Distant Metastatic Disease

Distant metastatic head and neck cancer means the cancer has spread from the head and neck region to distant organs or tissues elsewhere in the body. This spread is thought to occur through the bloodstream or lymphatic system.^{8,14,15}


Common areas of distant spread may include the lungs, liver, bones, or distant lymph nodes. In the TNM staging system, distant metastatic disease classifies the cancer as **M1**.^{7,8,13,15}

Persistent or Recurrent Cancer

Sometimes, after you have been treated for cancer, the cancer can remain (**persistent**) or come back after a cancer-free time period (**recurrent**).^{8,16}

It is not possible to predict cancer recurrence. However, a cancer that grows fast, or that is more advanced or widespread, may be more difficult to treat and more likely to recur.¹⁶

If a cancer recurs, you will undergo tests to determine the type of recurrence, where in the body it is, whether it has spread, and how far. This new assessment may be referred to as “restaging.”¹⁷



Persistent

Persistent cancer is a cancer that remains even after treatment.⁸

Recurrent

Recurrent cancer can come back in the same place where it started (local recurrence), in nearby tissue or lymph nodes (regional recurrence), or in a different part of the body (distant recurrence).¹⁷

Treatment options for **recurrent** or **persistent** cancers depend on whether the patient has previously received radiation therapy and whether the tumor is surgically removable.⁸

Lifestyle and Wellness

Living with cancer may be challenging, but here are some helpful tips to consider.



Discontinue tobacco and alcohol use

Tobacco use is harmful to nearly every organ in the body. All forms of tobacco use are harmful and increase the risk of developing cancer in other areas of the body (not just the lungs).¹⁸

Alcohol use also increases the risk of head and neck cancer, with heavy drinkers having a higher risk than light drinkers.⁵ Using alcohol and tobacco together can make the cancer-causing effects of tobacco and alcohol even worse, and raises the risk of developing head and neck cancer.⁵

What you can do:

- Talk to your healthcare team about your options for quitting tobacco, whether it is medication, counseling, or local support programs
- It is best not to drink alcohol, but if you choose to drink, try to limit alcoholic intake to no more than 2 drinks per day for men and 1 drink per day for women¹⁹



Maintain good nutrition

Some treatments may cause side effects such as taste and smell changes, appetite changes, nausea, constipation, fatigue, or mouth sores. Some side effects can create discomfort when swallowing and chewing.²⁰

Here are some tips to help you maintain your nutrition during treatment²¹:

- **Build a healthy diet** with foods and liquids that contain important nutrients
- **Work with a registered dietitian** to manage your diet during and after treatment



Prioritize sleep and rest

Tips to create healthy sleep practices²²:

- Avoid exercising a few hours before bedtime
- Avoid TV and electronic devices a few hours before bed
- Keep the room dark and quiet
- Go to bed only when you are sleepy



Mental health and wellness

Mental health and wellness are an integral part of your journey with head and neck cancer.

Here are some helpful coping tips:

- **Be kind to yourself:** Try to practice self-compassion²³
- **Therapy:** A mental health professional can provide support and suggest strategies to cope with tough feelings^{8,24}
- **Exercise:** Helps with overall health, improves sleep, and strengthens your bones and muscles. If you were active before treatment, you may need to reduce the intensity or frequency of your exercise during treatment. The key is to stay as active as possible within your limits²⁵
- **Support:** Lean on family, friends, partners, or members of your religious community²⁶

Other things to consider:



Support groups and services²⁶



Speech-language therapy²



Fertility counseling⁸

Screenings and Procedures

A brief overview of common screenings and procedures that may be used by your treatment team is provided below.

PROCEDURES



Biopsy

A suspicious area of tissue or a group of cells is removed and sent for testing. A biopsy helps your doctor determine if you have cancer.⁸



Endoscopy

An endoscope (a thin tube-shaped device with a camera and light) is used to examine the inside of your nose and throat and assess the extent of the tumor.^{8,27}

IMAGING



PET

Uses a slightly radioactive form of sugar that is introduced into the bloodstream and shows up primarily in cancer cells.²⁸



MRI

Uses radio waves and powerful magnets to take pictures of the inside of the body.⁸



Ultrasound

Uses sound waves to create images of the inside of the body to look for signs of cancer, such as swollen or abnormal lymph nodes, or cancer recurrence following treatment.²⁸



CT

Combines X-ray technology and computer processing to create more detailed images.⁸

PET = positron emission tomography; **MRI** = magnetic resonance imaging; **CT** = computed tomography

SCREENINGS AND EXAMS



Blood Tests

Routine blood tests can provide an idea of your overall health.²⁸



Biomarker Testing

A biomarker is a substance found in body tissues or fluids that is an indication of a normal or abnormal process or of a medical condition.²⁹

When biomarker testing is done for cancer, it is looking for specific genes, proteins, or other molecules that may provide information about the cancer.^{29,30}



Viral Screening

Some viral infections have been linked to cancer.³¹ Your healthcare provider may order certain viral screening tests:

- **HPV Test**

There is a link between HPV (human papillomavirus) and oropharyngeal cancer²

- **Epstein-Barr Virus Test**

There is a link between EBV (Epstein-Barr virus) and both nasopharyngeal cancer and cancer of the salivary glands²



Nutritional Assessment

A registered dietitian can develop a nutritional plan to help you if your treatment causes pain with chewing or swallowing.⁸



Head and Neck Physical Exam

Your physician will look closely at your ears, nose, throat, and mouth. They will also feel under your jaw and along your neck for lumps.⁸



Dental Exam

Dental exams help address and prevent problems that may happen during cancer treatments.⁸




Hearing Test

A hearing test may be needed to evaluate symptoms such as hearing loss, which may develop from the cancer or your treatment.⁸



Speech and Swallowing Exam

If your treatment is expected to cause problems with your speech or swallowing, a speech-language pathologist will evaluate you to create a therapy plan to help reduce any problems.⁸




Skin

Salivary Glands

Lymph Nodes and Blood Vessels

1. Skin
2. Parotid gland
3. Tongue
4. Mandible (jaw bone)
5. Sublingual gland
6. Submandibular gland
7. Jugular vein (internal)
8. Lymph nodes (deep)
9. Lymph nodes (surface)
10. Jugular vein (external)
11. Sternocleidomastoid muscle
12. Carotid artery
13. Nasal cavity
14. Paranasal sinuses
15. Adenoids (pharyngeal tonsils)
16. Nasopharynx
17. Soft palate
18. Tonsil (palatine)
19. Oropharynx
20. Tongue (muscle)
21. Hypopharynx
22. Voice box (larynx)
23. Trachea (windpipe)
24. Thyroid




2. Parotid gland
3. Tongue
4. Mandible (jaw bone)
5. Sublingual gland
6. Submandibular gland
7. Jugular vein (internal)
8. Lymph nodes (deep)
9. Lymph nodes (surface)
10. Jugular vein (external)
11. Sternocleidomastoid muscle
12. Carotid artery
13. Nasal cavity
14. Paranasal sinuses
15. Adenoids (pharyngeal tonsils)
16. Nasopharynx
17. Soft palate
18. Tonsil (palatine)
19. Oropharynx
20. Tongue (muscle)
21. Hypopharynx
22. Voice box (larynx)
23. Trachea (windpipe)
24. Thyroid

Skin

Salivary Glands

Lymph Nodes and Blood Vessels




7. Jugular vein (internal)
8. Lymph nodes (deep)
9. Lymph nodes (surface)
10. Jugular vein (external)
11. Sternocleidomastoid muscle
12. Carotid artery
13. Nasal cavity
14. Paranasal sinuses
15. Adenoids (pharyngeal tonsils)
16. Nasopharynx
17. Soft palate
18. Tonsil (palatine)
19. Oropharynx
20. Tongue (muscle)
21. Hypopharynx
22. Voice box (larynx)
23. Trachea (windpipe)
24. Thyroid



Skin

Salivary Glands

Lymph Nodes and Blood Vessels




- 13. Nasal cavity
- 14. Paranasal sinuses
- 15. Adenoids (pharyngeal tonsils)
- 16. Nasopharynx
- 17. Soft palate
- 18. Tonsil (palatine)
- 19. Oropharynx
- 20. Tongue (muscle)
- 21. Hypopharynx
- 22. Voice box (larynx)
- 23. Trachea (windpipe)
- 24. Thyroid


Skin

Salivary Glands

Lymph Nodes and Blood Vessels




Mouth




Voice Box (Larynx)

- 1. Larynx
- 2. Vocal cord
- 3. Epiglottis
- 4. Hard palate
- 5. Uvula
- 6. Tonsil (palatine)
- 7. Tongue
- 8. Gums
- 9. Soft palate
- 10. Lips



Front view

- 1. Frontal sinus
- 2. Ethmoid sinuses
- 3. Maxillary sinus
- 4. Sphenoid sinus



Side view

A Discussion Guide for Care Teams on Social Determinants of Health

“Social Determinants of Health” (SDoH) are non–health-related conditions in which people are born, grow, live, work, and age that influence health outcomes. In fact, SDoH may be more important than health care or lifestyle choices in influencing one's health. Understanding SDoH and their impact on patients and their well-being may help inform better patient care.³²

SDoH Discussion Guide

When speaking with patients, develop an understanding of their social needs by using the information below to help guide the conversation.



Transportation³³

Does the patient have:

- An active driver's license and access to a personal vehicle?
- Access to public transportation?
- Friends and family who can drive them to appointments?



Finances & Employment^{33,34}

- What is the patient's current employment status?
- Does the patient have health insurance, or do they need help getting health insurance for themselves or their family?
- Does the patient have difficulty making ends meet? Would they have trouble paying for medical care?



Food Security^{33,34}

- Is the patient experiencing any food insecurity concerns? Such as:
- Do they have access to affordable and/or healthy meals?
 - Can they afford meals on a routine basis?
 - Do they have access to healthy foods?



Housing Security & Utilities^{33,34}

Does the patient have:

- Stable and affordable housing?
- Access to affordable utility services, such as gas, electricity, water, and oil?
- Any housing-related issues, such as concerns over mold, bug infestations, poor heat, or water leaks?



Health Literacy³⁴

- Is the patient able to fill out medical forms on their own?
- Does the patient ever have problems understanding what is told to them by doctors?
- Is there a language barrier present that will impact conversations around the patient's health?



Gender Identity³⁵

- Does the patient have preferred names and pronouns?
- Has the patient undergone or are they currently undergoing gender-affirming changes? Are these changes medical (hormones, surgeries) or social (appearance, clothing, name changes, gender-marker changes)?



Family & Social Support³⁴

- Does the patient need daycare for their child/children? If so, do they need help finding it?
- Does the patient have someone to help them if they were sick and need to be in bed?



Cultural/Ethnic Identity³⁶

- Are there any aspects of the patient's family life that play a role in their overall health or medical decision-making?
- Does the patient have any cultural traditions that play a role in their medical decision-making?



Spirituality³⁷

- Does the patient have a religious or spiritual identity? If yes, how does it guide their decision-making?

References:

1. Head and neck cancer: overview. Johns Hopkins Medicine. Accessed January 28, 2026. <https://www.hopkinsmedicine.org/health/conditions-and-diseases/head-and-neck-cancer>
2. Head and neck cancers. National Cancer Institute. Last revised May 25, 2021. Accessed January 16, 2026. <https://www.cancer.gov/types/head-and-neck/head-neck-fact-sheet#q1>
3. Paranasal sinus. Dictionary of Cancer Terms. National Cancer Institute. Accessed January 28, 2026. <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/paranasal-sinus>
4. Henson B, Drake TM, Edens MA. Anatomy, head and neck, nose sinuses. NCBI Bookshelf. Last update July 24, 2023. Accessed January 28, 2026. <https://www.ncbi.nlm.nih.gov/books/NBK513272/>
5. Risk factors for oral cavity and oropharyngeal cancers. American Cancer Society. Last revised March 23, 2021. Accessed January 28, 2026. <https://www.cancer.org/cancer/types/oral-cavity-and-oropharyngeal-cancer/causes-risks-prevention/risk-factors.html>
6. Siegel RL, Miller KD, Wagle NS, Jemal A. Cancer statistics, 2023. *CA: A Cancer Journal for Clinicians*. 2023;73(1):17-48. doi:10.3322/caac.21763
7. Cancer staging. National Cancer Institute. Reviewed October 14, 2022. Accessed October 6, 2025. <https://www.cancer.gov/about-cancer/diagnosis-staging/staging>
8. Referenced with permission from the NCCN Guidelines for Patients® for Throat Cancer. 2025. © National Comprehensive Cancer Network, Inc. All rights reserved. Accessed January 30, 2026. To view the most recent and complete version of the guideline, go online to NCCN.org
9. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) for Head and Neck Cancers V.1.2026. © National Comprehensive Cancer Network, Inc. 2026. All rights reserved. Accessed December 9, 2025. To view the most recent and complete version of the guideline, go online to NCCN.org
10. Clinical stage. Dictionary of Cancer Terms. National Cancer Institute. Accessed January 28, 2026. <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/clinical-stage>
11. Pathological stage. Dictionary of Cancer Terms. National Cancer Institute. Accessed January 28, 2026. <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/pathological-stage>
12. Bollig CA, Newberry CI, Galloway TLI, et al. Prognostic impact of metastatic site and pattern in patients with metastatic head and neck cancer. *The Laryngoscope*. 2021;131(6):E1838-1846. doi:10.1002/lary.29208
13. Cancer staging. American Cancer Society. Last revised September 10, 2024. Accessed October 22, 2025. <https://www.cancer.org/cancer/diagnosis-staging/staging.html>
14. Staging and grading of head and neck cancer. Macmillan Cancer Support. Last reviewed March 1, 2022. Accessed December 23, 2025. <https://www.macmillan.org.uk/cancer-information-and-support/head-and-neck-cancer/staging-and-grading-of-head-and-neck-cancer>
15. Treatment options for oral cavity cancer by stage. American Cancer Society. Last revised June 25, 2025. Accessed December 30, 2025. <https://www.cancer.org/cancer/types/oral-cavity-and-oropharyngeal-cancer/treating/by-stage.html>
16. What is cancer recurrence? American Cancer Society. Last revised October 21, 2025. Accessed November 12, 2025. <https://www.cancer.org/treatment/survivorship-during-and-after-treatment/long-term-health-concerns/recurrence/what-is-cancer-recurrence.html>
17. Recurrent cancer: when cancer comes back. National Cancer Institute. Updated April 2, 2025. Accessed May 12, 2025. <https://www.cancer.gov/types/recurrent-cancer>
18. Harms of cigarette smoking and health benefits of quitting. National Cancer Institute. Reviewed December 19, 2017. Accessed January 28, 2026. <https://www.cancer.gov/about-cancer/causes-prevention/risk/tobacco/cessation-fact-sheet>
19. Alcohol use and cancer. American Cancer Society. Last revised November 3, 2025. Accessed January 15, 2026. <https://www.cancer.org/cancer/risk-prevention/diet-physical-activity/alcohol-use-and-cancer.html>
20. Managing eating problems caused by cancer treatments. American Cancer Society. Last revised October 21, 2025. Accessed January 28, 2026. <https://www.cancer.org/cancer/survivorship/coping/nutrition/common-problems.html>
21. Nutrition in cancer care (PDC)–patient version. National Cancer Institute. Updated October 15, 2024. Accessed July 25, 2025. <https://www.cancer.gov/about-cancer/treatment/side-effects/nutrition>
22. Sleep problems in people with cancer. National Cancer Institute. Reviewed August 12, 2021. Accessed January 28, 2026. <https://www.cancer.gov/about-cancer/treatment/side-effects/sleep-disorders>
23. Practice mindfulness and relaxation. American Cancer Society. Last revised November 14, 2025. Accessed January 21, 2026. <https://www.cancer.org/cancer/supportive-care/integrative-medicine/mind-body-and-body-based-therapies/mindfulness-meditation-relaxation>
24. Helping cancer survivors cope with cancer-related anxiety and distress. National Cancer Institute. Published April 30, 2020. Accessed August 1, 2025. <https://www.cancer.gov/news-events/cancer-currents-blog/2020/cancer-survivors-managing-anxiety-distress>
25. Benefits of physical activity. Centers for Disease Control and Prevention. December 4, 2025. Accessed January 28, 2026. <https://www.cdc.gov/physical-activity-basics/benefits/index.html>
26. Managing cancer as a chronic illness. American Cancer Society. Last revised October 10, 2025. Accessed January 28, 2026. <https://www.cancer.org/cancer/survivorship/long-term-health-concerns/cancer-as-a-chronic-illness.html>
27. Upper endoscopy. American Cancer Society. Last revised February 26, 2025. Accessed January 28, 2026. <https://www.cancer.org/cancer/diagnosis-staging/tests/endoscopy/upper-endoscopy.html>
28. Tests for oral cavity and oropharyngeal cancers. American Cancer Society. Last revised March 23, 2021. Accessed February 12, 2025. <https://www.cancer.org/cancer/types/oral-cavity-and-oropharyngeal-cancer/detection-diagnosis-staging/how-diagnosed.html>
29. Biomarker. Dictionary of Cancer Terms. National Cancer Institute. Accessed December 23, 2025. <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/biomarker>
30. Biomarker testing for cancer treatment. National Cancer Institute. Updated December 14, 2021. Accessed October 16, 2025. <https://www.cancer.gov/about-cancer/treatment/types/biomarker-testing-cancer-treatment>
31. Viruses that can lead to cancer. American Cancer Society. Last revised March 21, 2023. Accessed January 28, 2026. <https://www.cancer.org/cancer/risk-prevention/infections/infections-that-can-lead-to-cancer/viruses.html>
32. Social determinants of health. World Health Organization. Accessed January 28, 2026. https://www.who.int/health-topics/social-determinants-of-health#tab=tab_1
33. Social needs screening tool. American Academy of Family Physicians. The Everyone Project. 2018. Accessed December 23, 2025. https://www.aafp.org/dam/AAFP/documents/patient_care/everyone_project/hops19-physician-form-sdoh.pdf
34. Using standardized social determinants of health screening questions to identify and assist patients with unmet health-related resource needs in North Carolina. North Carolina Department of Health and Human Services. April 5, 2018. Accessed December 23, 2025. <https://medicaid.ncdhhs.gov/using-standardized-social-determinants-health-screening-questions-identify-and-assist-patients-unmet/open>
35. Berg S. 8 things patients wish physicians knew about gender diverse care. American Medical Association. September 2, 2022. Accessed December 23, 2025. <https://www.ama-assn.org/delivering-care/population-care/8-things-patients-wish-physicians-knew-about-gender-diverse-care>
36. Referenced with permission from the NCCN Guidelines for Patients® for Survivorship Care for Cancer Related Late and Long-Term Effects. 2024. © National Comprehensive Cancer Network, Inc. All rights reserved. Accessed October 16, 2024. To view the most recent and complete version of the guideline, go online to NCCN.org
37. Cancer caregivers: national research report on shared treatment decision-making. CancerCare. 2022. Accessed June 23, 2025. https://media.cancercare.org/documents/272/original/CancerCare_DecisionMakingReport_20220715.pdf